

European Network for Smoking and Tobacco Prevention

EPACTT 1

<u>EuroPean Accreditation Curriculum on Tobacco</u> <u>Treatment project</u>



Funded by Global Bridges Network via an Independent grant for Learning & Change (IGL&C), Pfizer

Action 1 Hands on training

- Was conducted in Brussels on the 5-6 April 2016
 - Focused on tobacco control and tobacco treatment:
 - key note presentations
 - case study presentations
 - guidelines for smoking cessation
 - hands on workshops





- The audience: 216 registered participants (health care professionals, clinicians, policy makers, NGOs)
- 44 health professionals were selected for the evaluation process from the 5 target countries: Armenia, Georgia, Romania, Russia, Greece and Ukraine
- The training program was fully accredited by the European Accreditation Council for Continuing Medical Education (EACCME) with 11 CME credits



Overview Hands on training - pre vs. post results

Hands on training

Pre-post evaluations indicated that:

- Knowledge increased around issues of what are the effective therapies in smoking cessation (Pre 2.7% vs. Post 68%, p <0.001)
- Knowledge of how much a typical craving lasts, (Pre 40.5% vs. Post 70.5%, p = 0.007),
- Knowledge of the side effects of Varenicline (Pre 54.9% vs. Post 80%, p = 0.017).
- The percentage that correctly answered what are the most effective treatments that increase quitting dramatically increased from 1% to 37% (p<0.001)
- Knowledge of how long a craving lasts increased from 18% to 38% (p=0.007)
- Awareness of the most common side effects for pharmacotherapy increased from 25% to 43% (p=0.017)
- Awareness of the impact of the physicians advice on quit rates increased from 16% to 32% (p=0.03)
- It is important to note that after the two day training 90% of participants stated that after the intervention that they have the required knowledge to help their patients (p = 0.001).

Overview Hands on training - pre vs. 2 month follow up


Providers Knowledge

How many people are expected to guit with brief counseling? Nicotine is as addictive as other drugs such as heroin or cocaine The NRTs is contraindicated in individuals with CVD A physician's advice to guit smoking can boost motivation to guit The most common reasons that people return to smoking It is more difficult for pregnant women to guit smoking? Quit smoking and amount of stress? Which is the most common side effect of varenicline? How long does a craving; The most effective medications It is safe to continue to smoke while using NRTs? Effectiveness of e-cigarettes 0



Overview Hands on training - pre vs. post vs. follow up results

Intention to Provide Smoking Cessation Counseling in practice



■ Pre ■ Post ■ 2 months follow up


*range= 1-10, higher score represents higher intention

Action 2 Guidelines for treating tobacco dependence

- > 2nd Edition of the ENSP Guidelines (released in March 2016)
 - Developed by European Commission funds (Operating Grant to ENSP)
 - Free to download through <u>www.ensp.org</u> and <u>www.elearning-ensp.org</u>
 - Translated and culturally adapted into 5 European Languages.
 - > A significant policy, capacity building and clinical practice tool.

Language	Title	ISBN
English	ENSP Guidelines for Treating Tobacco Dependence	978-618-82526-0-8
Romanian	GHIDUL ENSP PENTRU TRATAMENTUL DEPENDENTEI DE TUTUN	978-618-82526-1-5
Armenian	ԾԽԱԽՈՏԱՅԻՆ ԿԱԽՎԱԾՈԻԹՅԱՆ ԲՈԻԺՄԱՆ ՈԻՂԵՑՈԻՅՑ	978-618-82526-2-2
Georgian	თამბაქოს მოწევის შეწყვეტის ევროპული სახელმძღვანელო	978-618-82526-5-3
Ukrainian	ПОСІБНИК З ЛІКУВАННЯ ТЮТЮНОВОЇ ЗАЛЕЖНОСТІ ЗАМІСТЬ ПОСІБНИКА З ПРИПИНЕННЯ ТЮТЮНОКУРІННЯ	978-618-82526-4-6
Russian	РЕКОМЕНДАЦИИ ENSP ПО ЛЕЧЕНИЮ ТАБАЧНОЙ ЗАВИСИМОСТИ	978-618-82526-3-9

Action 3 Pilot E-learning Program



- Developed using Moodle, included seven training modules
 - PART ONE: RECOGNIZING TOBACCO USE AND TOBACCO DEPENDENCE IN GENERAL PRACTICE
 - Chapter 1: Assessment of Tobacco Use and Tobacco Dependence and
 - Chapter 2: General Recommendations for the treatment of tobacco use and tobacco dependence
 - Chapter 3: Brief Advice on Stopping Tobacco Use

PART TWO: TREATMENT OF TOBACCO DEPENDENCE

- Chapter 4: Standard Tobacco Treatment Interventions
- Chapter 5: Research and Recommendations for Evaluating Smoking Cessation Effectiveness

PART TREE: EUROPEAN STANDARDS FOR ACCREDITATION OF TOBACCO CESSATION SERVICES AND TRAINING IN TOBACCO CESSATION

 Chapter 6: Recommendations to train health professionals in the treatment of tobacco use and dependence and quality standards for tobacco cessation specialists and services

PART FOUR: EFFECTIVE CESSATION TECHNIQUES FOR BUSY FAMILY MEDICINE PROVIDERS

www.elearning-ensp.org

SUSTAINABILITY AND PROGRAM EXPANSION EPACTT-2

- ENSP has established an expansion of the activities and capacity building of EPACTT with a focus on health care professionals and policy makers in the Southern, Central and Eastern European region
- Continued guideline and tool translation
- Enhanced eLearning modules
- 11 European region countries
- ► 12 European languages

