

Revision date: 02-Jun-2016 Version: 6.2 Page 1 of 9

IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING

Product Identifier

Material Name: Sertraline hydrochloride film coated tablets

ZOLOFT: ALTRULINE: GLADEM: TATIQ: XYDEP: SERLAIN: INIVON: DAXID: LUSTRAL: **Trade Name:**

ENORE; BESITRAN; SERTRALIN; TRESLEEN

Chemical Family: Mixture

Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Intended Use: Pharmaceutical product used as antidepressant

Details of the Supplier of the Safety Data Sheet

Pfizer Inc Pfizer Ltd **Pfizer Pharmaceuticals Group** Ramsgate Road 235 East 42nd Street Sandwich, Kent New York, New York 10017 **CT13 9NJ** 1-800-879-3477

United Kingdom +00 44 (0)1304 616161

Emergency telephone number: **Emergency telephone number:**

CHEMTREC (24 hours): 1-800-424-9300 International CHEMTREC (24 hours): +1-703-527-3887 Contact E-Mail: pfizer-MSDS@pfizer.com

2. HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

GHS - Classification

Acute Oral Toxicity: Category 4

Specific target organ systemic toxicity (repeated exposure): Category 2

Acute aquatic toxicity: Category 1 Chronic aquatic toxicity: Category 1

Label Elements

Signal Word: Warning

Hazard Statements: H302 - Harmful if swallowed

H373 - May cause damage to organs through prolonged or repeated exposure H400 - Very

toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

Material Name: Sertraline hydrochloride film coated tablets

Revision date: 02-Jun-2016 Version: 6.2

Precautionary Statements: P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P264 - Wash hands thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P301+ P312 - IF SWALLOWED: Call a POISON CENTRE or doctor/physician if you feel

Page 2 of 9

unwell

P314 - Get medical attention/advice if you feel unwell

P330 - Rinse mouth

P273 - Avoid release to the environment

P391 - Collect spillage

P501 - Dispose of contents/container in accordance with all local and national regulations



Other Hazards Note:

No data available

This document has been prepared in accordance with standards for workplace safety, which requires the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warning included may not apply in all cases. Your needs may vary depending upon the potential for exposure in your workplace.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous

Ingredient	CAS Number	EU EINECS/ELINCS List	GHS Classification	%
Sertraline hydrochloride	79559-97-0	Not Listed	Acute Tox.4 (H302) STOT RE.2 (H373) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	37
Microcrystalline cellulose	9004-34-6	232-674-9	Not Listed	*
Magnesium stearate	557-04-0	209-150-3	Not Listed	*

Ingredient	CAS Number	EU EINECS/ELINCS List	GHS Classification	%
Hydroxypropyl cellulose	9004-64-2	Not Listed	Not Listed	*
Dibasic calcium phosphate, dihydrate USP	7789-77-7	Not Listed	Not Listed	*
Sodium starch glycolate	9063-38-1	Not Listed	Not Listed	*

Additional Information: * Proprietary

Ingredient(s) indicated as hazardous have been assessed under standards for workplace

safety.

In accordance with 29 CFR 1910.1200, the exact percentage composition of this mixture has

been withheld as a trade secret.

For the full text of the CLP/GHS abbreviations mentioned in this Section, see Section 16

Material Name: Sertraline hydrochloride film coated tablets

Revision date: 02-Jun-2016 Version: 6.2

4. FIRST AID MEASURES

Description of First Aid Measures

Eve Contact: Flush with water while holding eyelids open for at least 15 minutes. Seek medical attention

immediately.

Skin Contact: Remove contaminated clothing. Flush area with large amounts of water. Use soap. Seek

medical attention.

Ingestion: Never give anything by mouth to an unconscious person. Wash out mouth with water. Do not

induce vomiting unless directed by medical personnel. Seek medical attention immediately.

Page 3 of 9

Inhalation: Remove to fresh air and keep patient at rest. Seek medical attention immediately.

Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms and Effects of For information on potential signs and symptoms of exposure, See Section 2 - Hazards

Identification and/or Section 11 - Toxicological Information. Exposure:

Medical Conditions None known

Aggravated by Exposure:

Indication of the Immediate Medical Attention and Special Treatment Needed

Notes to Physician:

5. FIRE FIGHTING MEASURES

Extinguishing Media: Use carbon dioxide, dry chemical, or water spray.

Special Hazards Arising from the Substance or Mixture

Hazardous Combustion May emit toxic fumes of carbon monoxide, carbon dioxide, nitrogen oxides, hydrogen chloride

Products: and other chlorine-containing compounds.

Fire / Explosion Hazards: Not determined

Advice for Fire-Fighters

During all fire fighting activities, wear appropriate protective equipment, including self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personnel involved in clean-up should wear appropriate personal protective equipment (see Section 8). Minimize exposure.

Environmental Precautions

Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.

Methods and Material for Containment and Cleaning Up

Measures for Cleaning / Contain the source of spill if it is safe to do so. Collect spilled material by a method that Collecting:

controls dust generation. A damp cloth or a filtered vacuum should be used to clean spills of

dry solids. Clean spill area thoroughly.

Additional Consideration for

Non-essential personnel should be evacuated from affected area. Report emergency Large Spills:

situations immediately. Clean up operations should only be undertaken by trained personnel.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Page 4 of 9

Material Name: Sertraline hydrochloride film coated tablets

Revision date: 02-Jun-2016 Version: 6.2

7. HANDLING AND STORAGE

Minimize dust generation and accumulation. If tablets or capsules are crushed and/or broken, avoid breathing dust and avoid contact with eyes, skin, and clothing. When handling, use appropriate personal protective equipment (see Section 8). Wash hands and any exposed skin after removal of PPE. Refer to Section 12 - Ecological Information, for information on potential effects on the environment. Releases to the environment should be avoided. Review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure or environmental releases. Potential points of process emissions of this material to the atmosphere should be controlled with dust collectors. HEPA filtration systems or other equivalent controls.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions: Store as directed by product packaging.

Specific end use(s): Pharmaceutical drug product

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters

Refer to available public information for specific member state Occupational Exposure Limits.

Sertraline hydrochloride

500µg/m3 Pfizer OEL TWA-8 Hr:

Microcrystalline cellulose

ACGIH Threshold Limit Value (TWA) 10 ma/m³ 10 mg/m³ **Australia TWA** 10 mg/m³ **Belgium OEL - TWA** 10 mg/m³ Estonia OEL - TWA 10 mg/m³ France OEL - TWA Ireland OEL - TWAs 10 mg/m³ 4 mg/m³ Latvia OEL - TWA 2 mg/m^3 **OSHA - Final PELS - TWAs:** 15 mg/m³ 10 mg/m³ Portugal OEL - TWA Romania OEL - TWA 10 mg/m³ **Russia OEL - TWA** 6 mg/m³ 10 mg/m³ Spain OEL - TWA **Switzerland OEL -TWAs** 3 mg/m^3

> 10 ma/m³ 5 mg/m³

Magnesium stearate

Vietnam OEL - TWAs

ACGIH Threshold Limit Value (TWA) 10 mg/m³ Lithuania OEL - TWA 5 mg/m³ Sweden OEL - TWAs 5 mg/m³

The exposure limit(s) listed for solid components are only relevant if dust may be generated.

Analytical Method: Analytical method available for Sertraline HCI. Contact Pfizer Inc for further information.

Exposure Controls

Engineering Controls: Engineering controls should be used as the primary means to control exposures. General

room ventilation is adequate unless the process generates dust, mist or fumes.

Refer to applicable national standards and regulations in the selection and use of personal **Personal Protective**

Equipment:

protective equipment (PPE).

Hands: Not required for the normal use of this product. Wear protective gloves when working with

large quantities.

Not required under normal conditions of use. Wear safety glasses or goggles if eye contact is Eyes:

possible.

Material Name: Sertraline hydrochloride film coated tablets

Revision date: 02-Jun-2016 Version: 6.2

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Not required for the normal use of this product. Wear protective clothing when working with

large quantities.

Not required for the normal use of this product. If the applicable Occupational Exposure Limit Respiratory protection:

(OEL) is exceeded, wear an appropriate respirator with a protection factor sufficient to control

exposures to below the OEL.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Tablet Color: Light green, Light blue, or

Light yellow

Page 5 of 9

No data available. No data available. **Odor Threshold:** Odor:

Molecular Formula: Mixture **Molecular Weight:** Mixture

No data available **Solvent Solubility:** Water Solubility: No data available pH: No data available. Melting/Freezing Point (°C): No data available **Boiling Point (°C):** No data available. Partition Coefficient: (Method, pH, Endpoint, Value)

Hydroxypropyl cellulose

No data available

Microcrystalline cellulose

No data available

Sodium starch glycolate

No data available Magnesium stearate No data available

Sertraline hydrochloride Predicted 7.0 Log D

Dibasic calcium phosphate, dihydrate USP

No data available

Decomposition Temperature (°C): No data available.

Evaporation Rate (Gram/s): No data available No data available Vapor Pressure (kPa): Vapor Density (g/ml): No data available **Relative Density:** No data available Viscosity: No data available

Flammablity:

Autoignition Temperature (Solid) (°C): No data available Flammability (Solids): No data available Flash Point (Liquid) (°C): No data available **Upper Explosive Limits (Liquid) (% by Vol.):** No data available Lower Explosive Limits (Liquid) (% by Vol.): No data available Polymerization: Will not occur

Partition Coefficient 2.9 (pH 7) (Sertraline HCI)

(n-octanol/water - Log P):

10. STABILITY AND REACTIVITY

Reactivity: No data available

Chemical Stability: Stable under normal conditions of use.

Material Name: Sertraline hydrochloride film coated tablets

Revision date: 02-Jun-2016 Version: 6.2

10. STABILITY AND REACTIVITY

Possibility of Hazardous Reactions

Oxidizing Properties: No data available

Conditions to Avoid: Fine particles (such as dust and mists) may fuel fires/explosions. **Incompatible Materials:** As a precautionary measure, keep away from strong oxidizers

Hazardous Decomposition No data available

Products:

11. TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

General Information:

The information included in this section describes the potential hazards of the individual

Page 6 of 9

ingredients.

Long Term: Known Clinical Effects: Repeat-dose studies in animals have shown a potential to cause adverse effects on: liver. Ingestion of this material may cause effects similar to those seen in clinical use including suicidal behavior, nausea, diarrhea, insomnia, and headache. Signs and symptoms associated with non-fatal overdosage were drowsiness, vomiting, rapid heart rate, nausea,

dizziness, agitation, and tremor.

Acute Toxicity: (Species, Route, End Point, Dose)

Microcrystalline cellulose

Rat Oral LD50 > 5000 mg/kg Rabbit Dermal LD50 > 2000 mg/kg

Magnesium stearate

Rat Oral LD50 > 2000 mg/kg Rat Inhalation LC50 > 2000 mg/m³

Sertraline hydrochloride

Mouse Oral LD50 419 - 548 mg/kg Rat Oral LD50 1327 - 1591mg/kg

Acute Toxicity Comments: A greater than symbol (>) indicates that the toxicity endpoint being tested was not achievable

at the highest dose used in the test.

Irritation / Sensitization: (Study Type, Species, Severity)

Microcrystalline cellulose

Skin Irritation Rabbit Non-irritating Eye Irritation Rabbit Non-irritating

Repeated Dose Toxicity: (Duration, Species, Route, Dose, End Point, Target Organ)

Sertraline hydrochloride

3 Month(s) Rat Oral 80 mg/kg/day LOAEL Liver 3 Month(s) Dog Oral 80 mg/kg/day LOAEL Liver

1 Year(s) Dog Oral 30 mg/kg/day LOAEL Central Nervous System

2 Year(s) Rat Oral 40 mg/kg/day LOAEL Liver

Reproduction & Developmental Toxicity: (Study Type, Species, Route, Dose, End Point, Effect(s))

Sertraline hydrochloride

268

Page 7 of 9

Material Name: Sertraline hydrochloride film coated tablets

Revision date: 02-Jun-2016 Version: 6.2

11. TOXICOLOGICAL INFORMATION

Peri-/Postnatal Development 20 mg/kg/day LOAEL Early embryonic development, Developmental toxicity Oral

Reproductive & Fertility Oral 80 mg/kg/day LOAEL Fertility

Reproductive & Fertility Rat Oral 10 mg/kg/day LOAEL Developmental toxicity Embryo / Fetal Development Rabbit Oral 40 mg/kg/day Not Teratogenic NOAEL Embryo / Fetal Development Not Teratogenic Rat Oral 80 mg/kg/day NOAEL

Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

Sertraline hydrochloride

Salmonella, E. coli Bacterial Mutagenicity (Ames) Negative Mammalian Cell Mutagenicity Mouse Lymphoma Negative In Vitro Chromosome Aberration **Human Lymphocytes** Negative Bone Marrow Metaphase Analysis Mouse Negative Negative

Mouse Bone Marrow

Carcinogenicity: (Duration, Species, Route, Dose, End Point, Effect(s))

Sertraline hydrochloride

In Vitro Cytogenetics

2 Year(s) Rat Oral 40 mg/kg/day NOAEL Not carcinogenic

2 Year(s) Mouse Oral 40 mg/kg/day LOAEL Benign tumors, Liver, Lungs

None of the components of this formulation are listed as a carcinogen by IARC, NTP or OSHA. Carcinogen Status:

12. ECOLOGICAL INFORMATION

Environmental Overview: The environmental characteristics of this mixture have not been fully evaluated. In the

environment, the active ingredient in this formulation is expected to remain in water or migrate through the soil to groundwater . Harmful effects to aquatic organisms could occur. Releases

to the environment should be avoided.

Toxicity:

Aquatic Toxicity: (Species, Method, End Point, Duration, Result)

Sertraline hydrochloride

Daphnia magna (Water Flea) EC50 1.25 Hours 2.14 mg/L

Pimephales promelas (Fathead Minnow) TAD LC50 96 Hours 0.30 mg/L

Pseudokirchneriella subcapitata (Green Alga) 0.03 mg/L **NPDES** EC50 96 Hours Skeletonema costatum (Marine Diatom) **NPDES** EC50 96 Hours 0.03 mg/L

Pseudokirchneriella subcapitata (Green Alga) TAD NOEC 12 Days 0.033 mg/L

Persistence and Degradability: No data available

Bio-accumulative Potential: Sertraline hydrochloride

Predicted 7.0 Log D

No data available Mobility in Soil:

Material Name: Sertraline hydrochloride film coated tablets

Revision date: 02-Jun-2016 Version: 6.2

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods: Dispose of waste in accordance with all applicable laws and regulations. Member State

specific and Community specific provisions must be considered. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental

Page 8 of 9

releases. This may include destructive techniques for waste and wastewater.

14. TRANSPORT INFORMATION

The following refers to all modes of transportation unless specified below.

This material is regulated for transportation as a hazardous material/dangerous good.

UN number: UN 3077

UN proper shipping name: Environmentally Hazardous Substance, Solid, n.o.s (substituted naphthalenamine,

hydrochloride salt)

Transport hazard class(es): 9
Packing group: 9

Environmental Hazard(s): Marine Pollutant

5 kg/5L Exception:

Effective January 1, 2015, UN3082 and UN3077 materials contained in good quality packaging in the quantities listed below are not regulated as dangerous goods for transport by any mode:

- * Single packagings containing a net quantity of 5 liters or less for liquids or a net mass of 5 kg or less for solids.
- * Combination packagings containing a net quantity per inner packaging of 5 liters or less for liquids or a net mass of 5 kg or less for solids.

15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

Sertraline hydrochloride

CERCLA/SARA 313 Emission reporting

California Proposition 65

Not Listed

EU EINECS/ELINCS List

Not Listed

Hydroxypropyl cellulose

CERCLA/SARA 313 Emission reporting

California Proposition 65

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

Present

EU EINECS/ELINCS List

Not Listed

Dibasic calcium phosphate, dihydrate USP

Page 9 of 9

Material Name: Sertraline hydrochloride film coated tablets

Revision date: 02-Jun-2016 Version: 6.2

15. REGULATORY INFORMATION

CERCLA/SARA 313 Emission reporting

California Proposition 65

Australia (AICS):

Present

EU EINECS/ELINCS List

Not Listed

Not Listed

Microcrystalline cellulose

CERCLA/SARA 313 Emission reporting

California Proposition 65

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

Present

Present

Dangerous Substances:

EU EINECS/ELINCS List 232-674-9

Sodium starch glycolate

CERCLA/SARA 313 Emission reporting

California Proposition 65

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

EU EINECS/ELINCS List

Not Listed

Not Listed

Not Listed

Magnesium stearate

CERCLA/SARA 313 Emission reporting

California Proposition 65
Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

Present

EU EINECS/ELINCS List

Not Listed
Not Lis

16. OTHER INFORMATION

Text of CLP/GHS Classification abbreviations mentioned in Section 3

Acute toxicity, oral-Cat.4; H302 - Harmful if swallowed

Specific target organ toxicity, repeated exposure-Cat.2; H373 - May cause damage to organs through prolonged or repeated exposure Hazardous to the aquatic environment, acute toxicity-Cat.1; H400 - Very toxic to aquatic life

Hazardous to the aquatic environment, chronic toxicity-Cat.1; H410 - Very toxic to aquatic life with long lasting effects

Data Sources: Publicly available toxicity information. Pfizer proprietary drug development information.

Reasons for Revision: Updated Section 14 - Transport Information.

Revision date: 02-Jun-2016

Product Stewardship Hazard Communication

Prepared by: Pfizer Global Environment, Health, and Safety Operations

Pfizer Inc believes that the information contained in this Material Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.

End of Safety Data Sheet
