

Revision date: 06-May-2019 Version: 5.0 Page 1 of 15

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING

Product Identifier

Material Name: Tafamidis Capsules

Trade Name: VYNDAQEL Chemical Family: Not determined

Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Intended Use: Pharmaceutical product

Details of the Supplier of the Safety Data Sheet

Pfizer Inc Pfizer Global Manufacturing

235 East 42nd Street 38-42 Wharf Road

New York, New York 10017 West Ryde, New South Wales 2114 1-800-879-3477 Australia

Australia (02) 9850 3333

Ask for Environmental Health & Safety Manager

Emergency telephone number (North America): Emergency telephone number (Australia):

Chemtrec (24 hours): 1-800-424-9300 International Chemtrec (24 hours): +1-703-527-3887

Contact E-Mail: pfizer-MSDS@pfizer.com

2. HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

GHS - Classification

Reproductive Toxicity: Category 1B

Label Elements

Signal Word: Danger

Hazard Statements: H360D - May damage the unborn child

Precautionary Statements: P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P281 - Use personal protective equipment as required

P308 + P313 - IF exposed or concerned: Get medical attention/advice

P405 - Store locked up

P501 - Dispose of contents/container in accordance with all local and national regulations



Other Hazards An Occupational Exposure Value has been established for one or more of the ingredients (see

Section 8).

Material Name: Tafamidis Capsules

Revision date: 06-May-2019 Version: 5.0

Note:

This document has been prepared in accordance with standards for workplace safety, which requires the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warning included may not apply in all cases. Your needs may vary depending upon the potential for exposure in your workplace.

Page 2 of 15

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous

Ingredient	CAS Number	EU EINECS/ELINCS	GHS Classification	%
		List		
Ammonium hydroxide	1336-21-6	215-647-6	Skin Corr. 1B (H314)	<1.0
			Aquatic Acute 1 (H400)	
ETHYL ALCOHOL	64-17-5	200-578-6	Flam. Liq. 2 (H225)	<1.0
Ferric oxide yellow	51274-00-1	257-098-5	Not Listed	*
Glycerin, USP	56-81-5	200-289-5	Not Listed	*
sopropyl alcohol	67-63-0	200-661-7	STOT SE 3 (H336)	<1.0
			Flam. Liq. 2 (H225)	
			Eye Irrit. 2A (H319)	
Polyethylene glycol 400	25322-68-3	Not Listed	Not Listed	*
Tafamidis Meglumine	951395-08-7	Not Listed	Repr.1B (H360D)	1-5
Titanium dioxide	13463-67-7	236-675-5	Not Listed	<0.1

Ingredient	CAS Number	EU EINECS/ELINCS List	GHS Classification	%
Carmine lake	1328-60-5	215-527-3	Not Listed	*
FD & C Blue No. 1	3844-45-9	223-339-8	Not Listed	*
Gelatin	9000-70-8	232-554-6	Not Listed	*
Polysorbate 80	9005-65-6	500-019-9	Not Listed	*
Polyvinyl Acetate Phthalate	Not Assigned	Not Listed	Not Listed	*
Sorbitan monooleate	1338-43-8	215-665-4	Not Listed	*
Sorbitol	6706-59-8	Not Listed	Not Listed	*

Additional Information: * Proprietary

Ingredient(s) indicated as hazardous have been assessed under standards for workplace

safety.

In accordance with 29 CFR 1910.1200, the exact percentage composition of this mixture has

been withheld as a trade secret.

For the full text of the CLP/GHS abbreviations mentioned in this Section, see Section 16

4. FIRST AID MEASURES

Description of First Aid Measures

Eye Contact: Flush with water while holding eyelids open for at least 15 minutes. Seek medical attention

immediately.

Skin Contact: Remove contaminated clothing. Flush area with large amounts of water. Use soap. Seek

medical attention.

Ingestion: Never give anything by mouth to an unconscious person. Wash out mouth with water. Do not

induce vomiting unless directed by medical personnel. Seek medical attention immediately.

Inhalation: Remove to fresh air and keep patient at rest. Seek medical attention immediately.

Material Name: Tafamidis Capsules Page 3 of 15
Revision date: 06-May-2019 Version: 5.0

Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms and Effects of For information on potential signs and symptoms of exposure, See Section 2 - Hazards

Exposure: Identification and/or Section 11 - Toxicological Information.

Medical Conditions None known

Aggravated by Exposure:

Indication of the Immediate Medical Attention and Special Treatment Needed

Notes to Physician: None

5. FIRE FIGHTING MEASURES

Extinguishing Media: Extinguish fires with CO2, extinguishing powder, foam, or water.

Special Hazards Arising from the Substance or Mixture

Hazardous Combustion Formation of toxic gases is possible during heating or fire.

Products:

Fine particles (such as dust and mists) may fuel fires/explosions.

Advice for Fire-Fighters

During all firefighting activities, wear appropriate protective equipment, including self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personnel involved in clean-up should wear appropriate personal protective equipment (see Section 8). Minimize exposure.

Environmental Precautions

Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.

Methods and Material for Containment and Cleaning Up

Measures for Cleaning /

Collecting:

Contain the source of spill if it is safe to do so. Collect spilled material by a method that controls dust generation. A damp cloth or a filtered vacuum should be used to clean spills of

dry solids. Clean spill area thoroughly.

Additional Consideration for

Large Spills:

Non-essential personnel should be evacuated from affected area. Report emergency situations immediately. Cleanup operations should only be undertaken by trained personnel.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Minimize dust generation and accumulation. If tablets or capsules are crushed and/or broken, avoid breathing dust and avoid contact with eyes, skin, and clothing. When handling, use appropriate personal protective equipment (see Section 8). Wash thoroughly after handling. Releases to the environment should be avoided. Review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure or environmental releases. Potential points of process emissions of this material to the atmosphere should be controlled with dust collectors, HEPA filtration systems or other equivalent controls.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions: Store as directed by product packaging.

Specific end use(s): Pharmaceutical drug product

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters

Page 4 of 15

Revision date: 06-May-2019 Version: 5.0

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Refer to available public information for specific member state Occupational Exposure Limits.

ETHYL ALCOHOL

Material Name: Tafamidis Capsules

Czech Republic OEL - TWA

Estonia OEL - TWA

ACGIH Threshold Limit Value (STEL)	1000 ppm
Australia TWA	1000 ppm
	1880 mg/m ³
Austria OEL - MAKs	1000 ppm
D. I. I. OTI TWA	1900 mg/m ³
Belgium OEL - TWA	1000 ppm
Polyania OEL TWA	1907 mg/m ³
Bulgaria OEL - TWA	1000 mg/m ³
Czech Republic OEL - TWA	1000 mg/m ³
Denmark OEL - TWA	1000 ppm
Fotonia OFL TIMA	1900 mg/m ³
Estonia OEL - TWA	500 ppm
Finland OEL - TWA	1000 mg/m³ 1000 ppm
Filliand OEL - TWA	1900 ppm 1900 mg/m ³
France OEL - TWA	1000 ppm
Traince OLL - TWA	1900 ppm 1900 mg/m ³
Germany - TRGS 900 - TWAs	500 ppm
Comany 1100 300 11173	960 mg/m ³
Germany (DFG) - MAK	500 ppm
	960 mg/m ³
Greece OEL - TWA	1000 ppm
	1900 mg/m ³
Hungary OEL - TWA	1900 mg/m ³
Latvia OEL - TWA	1000 mg/m ³
Lithuania OEL - TWA	500 ppm
	1000 mg/m ³
Netherlands OEL - TWA	260 mg/m ³
OSHA - Final PELS - TWAs:	1000 ppm
	1900 mg/m ³
Poland OEL - TWA	1900 mg/m ³
Portugal OEL - TWA	1000 ppm
Romania OEL - TWA	1000 ppm
	1900 mg/m ³
Russia OEL - TWA	1000 mg/m ³
Slovakia OEL - TWA	500 ppm
	960 mg/m ³
Slovenia OEL - TWA	1000 ppm
0	1900 mg/m ³
Sweden OEL - TWAs	500 ppm
Switzerland OEL -TWAs	1000 mg/m ³
Switzerland OEL -1 WAS	500 ppm 960 mg/m ³
Vietnam OEL - TWAs	1000 mg/m ³
Viculatii OLL - IVVAS	1000 mg/m
Glycerin, USP	
Australia TWA	10 mg/m ³
Belgium OEL - TWA	10 mg/m ³

PZ01480

10 mg/m³

10 mg/m³

Material Name: Tafamidis Capsules Page 5 of 15
Revision date: 06-May-2019 Version: 5.0

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Finland OEL - TWA	20 mg/m ³
France OEL - TWA	10 mg/m ³
Germany (DFG) - MAK	200 mg/m ³
Greece OEL - TWA	10 mg/m ³
Ireland OEL - TWAs	10 mg/m ³
OSHA - Final PELS - TWAs:	15 mg/m ³
Poland OEL - TWA	10 mg/m ³
Portugal OEL - TWA	10 mg/m ³
Spain OEL - TWA	10 mg/m ³
Switzerland OEL -TWAs	50 mg/m ³

Isopropyl alcohol

ACGIH Threshold Limit Value (TWA)	200 ppm
ACGIH Threshold Limit Value (STEL)	400 ppm
ACGIH - Biological Exposure Limit:	40 mg/L
Australia STEL	500 ppm
	1230 mg/m ³

Australia TWA	400 ppm
	983 mg/m ³
Austria OEL - MAKs	200 ppm
	500 mg/m ³
Belgium OEL - TWA	200 ppm

Doigiain OLL 1117	=00 pp
•	500 mg/m ³
Bulgaria OEL - TWA	980.0 mg/m ³
Czech Republic OEL - TWA	500 mg/m ³
Denmark OEL - TWA	200 ppm
	490 mg/m ³

Estonia OEL - TWA	150 ppm	
	350 mg/m ³	

Finland OEL - TWA	200 ppm
	500 mg/m ³
Cormony TDCC 000 TWAs	200 nnm

Germany - INGO 300 - IWAS	Zuu ppiii
	500 mg/m ³
Germany (DFG) - MAK	200 ppm

	500 mg/m ³
Germany - Biological Exposure Limit:	25 mg/L
Greece OEL - TWA	400 ppm

	980 mg/m ³
Hungary OEL - TWA	500 mg/m ³
Ireland OEL - TWAs	200 ppm
Japan - OELs - Ceilings	400 ppm
	980 mg/m ³
Latvia OFL TWA	250 ma/m3

Latvia OEL - TWA	350 mg/m ³
Lithuania OEL - TWA	150 ppm
	350 mg/m ³
OCHA Einel DELC TWAs.	400 nnm

OSHA - FIIIdi FELS - TWAS.	400 ppm
	980 mg/m³
Poland OEL - TWA	900 mg/m ³
Portugal OEL - TWA	200 ppm
Romania OEL - TWA	81 ppm
	200 mg/m ³

	200 mg/m
Romania - Biological Exposure Limit:	50 mg/L
Russia OEL - TWA	10 mg/m ³

500 mg/m³

Material Name: Tafamidis Capsules Page 6 of 15 Revision date: 06-May-2019 Version: 5.0

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Slovakia OEL - TWA 200 ppm 500 mg/m³ 200 ppm Slovenia OEL - TWA 500 mg/m³ Spain OEL - TWA 200 ppm 500 mg/m³ **Spain - Biological Exposure Limit:** 40 mg/L Sweden OEL - TWAs 150 ppm 350 mg/m³ **Switzerland OEL -TWAs** 200 ppm

Polyethylene glycol 400

Austria OEL - MAKs 1000 mg/m³ Germany - TRGS 900 - TWAs 1000 mg/m³

Germany (DFG) - MAK 1000 mg/m³ average molecular weight 200-600

Slovakia OEL - TWA 1000 mg/m³ Slovenia OEL - TWA 1000 mg/m³ **Switzerland OEL -TWAs** 1000 mg/m³

Tafamidis Meglumine

Pfizer OEL TWA-8 Hr: $20 \mu g/m^{3}$

Titanium dioxide

ACGIH Threshold Limit Value (TWA) 10 mg/m³ Australia TWA 10 mg/m³ **Austria OEL - MAKs** 5 mg/m^3 **Belgium OEL - TWA** 10 mg/m³ **Bulgaria OEL - TWA** 10.0 mg/m³ **Denmark OEL - TWA** 6 mg/m³ Estonia OEL - TWA 5 mg/m³ France OEL - TWA 10 mg/m³ 10 mg/m³ **Greece OEL - TWA** 5 mg/m³ **Ireland OEL - TWAs** 10 mg/m³ 4 mg/m^3 10 mg/m³

Latvia OEL - TWA 5 mg/m³ Lithuania OEL - TWA 15 mg/m³ **OSHA - Final PELS - TWAs: Poland OEL - TWA** 10.0 mg/m³ Portugal OEL - TWA 10 mg/m³ 10 mg/m³ Romania OEL - TWA **Russia OEL - TWA** 10 mg/m³ 10 mg/m³ Spain OEL - TWA 5 mg/m³ Sweden OEL - TWAs **Switzerland OEL -TWAs** 3 ma/m³ 6 mg/m³ Vietnam OEL - TWAs 5 mg/m³

Exposure Controls

Engineering Controls: Engineering controls should be used as the primary means to control exposures. General

room ventilation is adequate unless the process generates dust, mist or fumes. Keep airborne

contamination levels below the exposure limits listed above in this section.

Page 7 of 15 Material Name: Tafamidis Capsules Revision date: 06-May-2019 Version: 5.0

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Personal Protective

Equipment:

Refer to applicable national standards and regulations in the selection and use of personal protective equipment (PPE). Contact your safety and health professional or safety equipment supplier for assistance in selecting the correct protective clothing/equipment based on an assessment of the workplace conditions, other chemicals used or present in the workplace and specific operational processes.

Hands: Impervious gloves (e.g. Nitrile, etc.) are recommended if skin contact with drug product is

possible and for bulk processing operations. (Protective gloves must meet the standards in

accordance with EN374, ASTM F1001 or international equivalent.)

Wear safety glasses or goggles if eye contact is possible. (Eye protection must meet the Eyes:

standards in accordance with EN166, ANSI Z87.1 or international equivalent.)

Skin: Impervious protective clothing is recommended if skin contact with drug product is possible and

for bulk processing operations. (Protective clothing must meet the standards in accordance

with EN13982, ANSI 103 or international equivalent.)

Respiratory protection: Under normal conditions of use, if the applicable Occupational Exposure Limit (OEL) is

exceeded, wear an appropriate respirator with a protection factor sufficient to control exposures to below the OEL (e.g. particulate respirator with a half mask, P3 filter). (Respirators must meet the standards in accordance with EN140, EN143, ASTM F2704-10 or international

equivalent.)

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Capsule Color: Yellow

No data available. **Odor Threshold:** No data available. Odor: **Molecular Weight:** Mixture

Molecular Formula: Mixture

No data available **Solvent Solubility:** Water Solubility: No data available :Ha No data available. Melting/Freezing Point (°C): No data available **Boiling Point (°C):** No data available. Partition Coefficient: (Method, pH, Endpoint, Value)

Tafamidis Meglumine No data available Polysorbate 80 No data available

Gelatin

No data available Glycerin, USP No data available

Polyethylene glycol 400

No data available

Ammonium hydroxide

No data available

FD & C Blue No. 1

No data available

Carmine lake

No data available

ETHYL ALCOHOL

No data available

Ferric oxide yellow

No data available

Isopropyl alcohol

Material Name: Tafamidis Capsules Page 8 of 15

Revision date: 06-May-2019 Version: 5.0

9. PHYSICAL AND CHEMICAL PROPERTIES

No data available

Sorbitan monooleate

No data available

Sorbitol

No data available

Titanium dioxide

No data available

Polyvinyl Acetate Phthalate

No data available

Decomposition Temperature (°C): No data available.

Evaporation Rate (Gram/s):

Vapor Pressure (kPa):

Vapor Density (g/ml):

Relative Density:

No data available

Flammablity:

Autoignition Temperature (Solid) (°C):No data availableFlammability (Solids):No data availableFlash Point (Liquid) (°C):No data availableUpper Explosive Limits (Liquid) (% by Vol.):No data availableLower Explosive Limits (Liquid) (% by Vol.):No data available

10. STABILITY AND REACTIVITY

Reactivity: No data available

Chemical Stability: Stable under normal conditions of use.

Possibility of Hazardous Reactions

Oxidizing Properties: No data available

Conditions to Avoid: Fine particles (such as dust and mists) may fuel fires/explosions. **Incompatible Materials:** As a precautionary measure, keep away from strong oxidizers

Hazardous Decomposition No data available

Products:

11. TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

General Information: The following information is available for the individual ingredients.

Known Clinical Effects: Adverse effects most commonly reported in clinical use include headache, sleepiness

(somnolence), infection, gastrointestinal disturbances, insomnia, muscle pain

Acute Toxicity: (Species, Route, End Point, Dose)

Polysorbate 80

Rat Intravenous LD 50 1790 mg/kg

Mouse Oral LD 50 25 g/kg

Glycerin, USP

Mouse Oral LD50 4090 mg/kg Rat Oral LD50 12.6 g/kg

PZ01480

Material Name: Tafamidis Capsules Page 9 of 15
Revision date: 06-May-2019 Version: 5.0

11. TOXICOLOGICAL INFORMATION

Rabbit Dermal LD50 > 10 g/kg
Rat Inhalation LC50 1hr > 570 mg/m³
Rat Dermal LD 50 > 21.9 g/kg

Ammonium hydroxide

Rat Oral LD50 350 mg/kg

ETHYL ALCOHOL

Rat Oral LD 50 7060 mg/kg
Rat IV LD 50 1440mg/kg
Rat Inhalation LC 50 124700mg/m³

Isopropyl alcohol

Rat Oral LD50 > 2000 mg/kg Mouse Oral LD50 3600 mg/kg Rat Inhalation LC50-8h 16,000 ppm Rabbit Dermal LD50 12800 mg/kg Rat Inhalation LC50 30mg/L

Titanium dioxide

Rat Oral LD50 > 7500 mg/kg Rat Subcutaneous LD50 50 mg/kg

Acute Toxicity Comments:

A greater than symbol (>) indicates that the toxicity endpoint being tested was not achievable at the highest dose used in the test.

Irritation / Sensitization: (Study Type, Species, Severity)

Tafamidis Meglumine

Eye Irritation (*In vitro*, BCOP) Not applicable Mild
Skin Corrosivity (*In vitro*, RHE) Not applicable Negative
Eye Irritation Rabbit Minimal
Skin Irritation Rabbit Negative
Skin Sensitization - LLNA Mouse Negative

Glycerin, USP

Eye Irritation Rabbit Mild

Polyethylene glycol 400

Eye Irritation Rabbit Mild Skin Irritation Rabbit Mild

Ammonium hydroxide

Eye Irritation Rabbit Severe

Isopropyl alcohol

Eye Irritation Rabbit Severe Skin Irritation Rabbit Mild

Repeated Dose Toxicity: (Duration, Species, Route, Dose, End Point, Target Organ)

D704400

Page 10 of 15

Material Name: Tafamidis Capsules

Revision date: 06-May-2019 Version: 5.0

11. TOXICOLOGICAL INFORMATION

Tafamidis Meglumine

28 Day(s) Mouse Oral 10 mg/kg/day NOAEL Liver

28 Day(s) Rat Oral 30 mg/kg/day NOAEL Thymus, Gastrointestinal system

13 Week(s) Rat Oral 30 mg/kg/day NOAEL None identified

28 Day(s) Dog Oral 10 mg/kg/day NOAEL Gastrointestinal system, Liver

39 Week(s) Dog Oral 45 mg/kg/day NOAEL None identified

26 Week(s) Rat Oral 30 mg/kg/day NOAEL No effects at maximum dose

28 Day(s) Mouse Oral 120 mg/kg/day LOAEL Liver Lymphoid tissue

Isopropyl alcohol

20 Week(s) Rat Inhalation 4000 ppm NOAEL Liver, Central nervous system

104 Week(s) Rat Inhalation 5000 ppm Kidney

Reproduction & Development Toxicity: (Duration, Species, Route, Dose, End Point, Effect(s))

Tafamidis Meglumine

Reproductive & Fertility Rat Oral 30 mg/kg/day NOEL Paternal toxicity, Reproductive toxicity

Reproductive & Fertility Rat Oral (F) 30 mg/kg/day LOAEL Maternal Toxicity

Embryo / Fetal Development Rat Oral 45 mg/kg/day LOAEL Maternal Toxicity

Embryo / Fetal Development Rat Oral 30 mg/kg/day LOAEL Fetotoxicity

Embryo / Fetal Development Rabbit Oral 2 mg/kg/day LOAEL Maternal Toxicity

Embryo / Fetal Development Rabbit Oral 0.5 mg/kg/day LOAEL Fetotoxicity

Prenatal & Postnatal Development Rat Oral 15 mg/kg/day LOAEL Fetotoxicity

Isopropyl alcohol

Prenatal & Postnatal Development Rat Inhalation 7,000 ppm LOAEL Maternal toxicity, Fetotoxicity, Embryotoxicity

2 Generation Reproductive Toxicity Rat Oral 1000 mg/kg/day LOAEL Maternal Toxicity, Fetal mortality

Prenatal & Postnatal Development Rat Oral 1200 mg/kg/day NOAEL No effects at maximum dose,

Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

Tafamidis Meglumine

Bacterial Mutagenicity (Ames) Salmonella , E. coli Negative

Chromosome Aberration Human Lymphocytes Negative

In Vivo Micronucleus Rat Bone Marrow Negative

Isopropyl alcohol

Bacterial Mutagenicity (Ames) Salmonella Negative

Mammalian Cell Mutagenicity HGPRT Chinese Hamster Ovary (CHO) cells Negative

In Vitro Sister Chromatid Exchange Negative

Carcinogenicity: (Duration, Species, Route, Dose, End Point, Effect(s))

Tafamidis Meglumine

26 Week(s) Mouse Oral 90 mg/kg/week NOAEL None identified

Carcinogen Status: See below

FD & C Blue No. 1

PZ01480

Material Name: Tafamidis Capsules Page 11 of 15
Revision date: 06-May-2019 Version: 5.0

11. TOXICOLOGICAL INFORMATION

IARC: Group 3 (Not Classifiable)

ETHYL ALCOHOL

IARC: Group 1 (Carcinogenic to Humans)

Isopropyl alcohol

IARC: Group 3 (Not Classifiable)

Titanium dioxide

IARC: Group 2B (Possibly Carcinogenic to Humans)

12. ECOLOGICAL INFORMATION

Environmental Overview: Releases to the environment should be avoided. Environmental properties have not been

investigated.

Toxicity:

Aquatic Toxicity: (Species, Method, End Point, Duration, Result)

Glycerin, USP

Oncorhynchus mykiss (Rainbow Trout) LC50 96 Hours 50 mg/L Daphnia magna (Water Flea) EC50 24 Hours >500 mg/L

Ammonium hydroxide

Daphnia magna (Water Flea) LC50 48 Hours 0.66 mg/L

Lepomis macrochirus (Bluegill Sunfish) LC50 48 Hours 0.024 mg/L Pimephales promelas (Fathead Minnow) LC50 96 Hours 8.2 mg/L

ETHYL ALCOHOL

Brachydanio rerio (Zebra fish) OECD NOEC 42 Hours 500 mg/L

Persistence and Degradability: No data available

Bio-accumulative Potential: No data available

Mobility in Soil: No data available

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods: Dispose of waste in accordance with all applicable laws and regulations. Member State

specific and Community specific provisions must be considered. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental

releases. This may include destructive techniques for waste and wastewater.

Material Name: Tafamidis Capsules Page 12 of 15
Revision date: 06-May-2019 Version: 5.0

14. TRANSPORT INFORMATION

The following refers to all modes of transportation unless specified below.

Not regulated for transport under USDOT, EUADR, IATA, ADG or IMDG regulations.

15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

Ammonium hydroxide

Not Listed **CERCLA/SARA 313 Emission reporting CERCLA/SARA Hazardous Substances** 1000 lb and their Reportable Quantities: 454 kg **California Proposition 65** Not Listed Inventory - United States TSCA - Sect. 8(b) Present Australia (AICS): Present Standard for the Uniform Scheduling Schedule 5 for Drugs and Poisons: Schedule 6 215-647-6 **EU EINECS/ELINCS List**

Carmine lake

CERCLA/SARA 313 Emission reporting

California Proposition 65

Inventory - United States TSCA - Sect. 8(b)

EU EINECS/ELINCS List

Not Listed

Not Listed

Not Listed

215-527-3

ETHYL ALCOHOL

CERCLA/SARA 313 Emission reporting Not Listed

California Proposition 65 carcinogen 4/29/2011 in alcoholic beverages

developmental toxicity 10/1/1987 in alcoholic beverages

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

EU EINECS/ELINCS List

Present
200-578-6

FD & C Blue No. 1

CERCLA/SARA 313 Emission reporting

California Proposition 65

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

Present

EU EINECS/ELINCS List

Not Listed

Not Listed

Not Listed

Not Listed

Not Listed

Not Listed

Not Eisted

Not

Ferric oxide yellow

CERCLA/SARA 313 Emission reporting

Not Listed
California Proposition 65

Not Listed

level of concern

Material Name: Tafamidis Capsules Page 13 of 15 Revision date: 06-May-2019 Version: 5.0

15. REGULATORY INFORMATION

Inventory - United States TSCA - Sect. 8(b) Present Australia (AICS): Present **EU EINECS/ELINCS List** 257-098-5

Gelatin

Not Listed **CERCLA/SARA 313 Emission reporting California Proposition 65** Not Listed Present Inventory - United States TSCA - Sect. 8(b) Australia (AICS): Present **EU EINECS/ELINCS List** 232-554-6

Glycerin, USP

CERCLA/SARA 313 Emission reporting Not Listed **California Proposition 65** Not Listed Inventory - United States TSCA - Sect. 8(b) Present Australia (AICS): Present

REACH - Annex V - Exemptions from the

obligations of Register:

Present if not chemically modified, except they meet the criteria for classification as dangerous according to Directive 67/548/EEC, except those only classified as flammable [R10], as a skin irritant [R38] or as an eye irritant [R36], except they are persistent, bio accumulative, and toxic or very persistent and very bio accumulative in accordance with the criteria set out in Annex XIII, except they were identified in accordance with Article 59[1] at least two years previously as substances giving rise to an equivalent

200-289-5 **EU EINECS/ELINCS List**

Isopropyl alcohol

1.0 % **CERCLA/SARA 313 Emission reporting California Proposition 65** Not Listed Inventory - United States TSCA - Sect. 8(b) Present Australia (AICS): Present **EU EINECS/ELINCS List** 200-661-7

Polyethylene glycol 400

CERCLA/SARA 313 Emission reporting Not Listed **California Proposition 65** Not Listed Inventory - United States TSCA - Sect. 8(b) Present Australia (AICS): Present Standard for the Uniform Scheduling Schedule 2 for Drugs and Poisons: Schedule 3 Not Listed **EU EINECS/ELINCS List**

Polysorbate 80

CERCLA/SARA 313 Emission reporting Not Listed Not Listed **California Proposition 65** Inventory - United States TSCA - Sect. 8(b) Present Australia (AICS): Present 500-019-9 **EU EINECS/ELINCS List**

Polyvinyl Acetate Phthalate

CERCLA/SARA 313 Emission reporting Not Listed **California Proposition 65** Not Listed

Material Name: Tafamidis Capsules Page 14 of 15
Revision date: 06-May-2019 Version: 5.0

15. REGULATORY INFORMATION

EU EINECS/ELINCS List Not Listed

Sorbitan monooleate

CERCLA/SARA 313 Emission reporting

California Proposition 65

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

REACH - Annex IV - Exemptions from the

Present

Present

obligations of Register:

EU EINECS/ELINCS List 215-665-4

Sorbitol

CERCLA/SARA 313 Emission reporting

California Proposition 65

EU EINECS/ELINCS List

Not Listed

Not Listed

Tafamidis Meglumine

CERCLA/SARA 313 Emission reporting

California Proposition 65

EU EINECS/ELINCS List

Not Listed

Not Listed

Titanium dioxide

CERCLA/SARA 313 Emission reporting Not Listed

California Proposition 65 carcinogen 9/2/2011 airborne, unbound particles of respirable size

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

Present

EU EINECS/ELINCS List

236-675-5

16. OTHER INFORMATION

Text of CLP/GHS Classification abbreviations mentioned in Section 3

Reproductive toxicity-Cat.1B; H360D - May damage the unborn child Skin corrosion/irritation-Cat.1B; H314 - Causes severe skin burns and eve damage

Flammable liquids-Cat.2; H225 - Highly flammable liquid and vapor

Hazardous to the aquatic environment, acute toxicity-Cat.1; H400 - Very toxic to aquatic life

Specific target organ toxicity, single exposure; Narcotic effects-Cat.3; H336 - May cause drowsiness and dizziness

Serious eye damage/eye irritation-Cat.2A; H319 - Causes serious eye irritation

Data Sources: Pfizer proprietary drug development information. Publicly available toxicity information. Safety

data sheets for individual ingredients.

Reasons for Revision: Updated Section 11 - Toxicology Information. Updated Section 2 - Hazard Identification.

Updated Section 8 - Exposure Controls / Personal Protection. Updated Section 9 - Physical and Chemical Properties. Updated Section 1 - Identification of the Substance/Preparation and the Company/Undertaking. Updated Section 3 - Composition / Information on Ingredients.

Updated Section 16 - Other Information.

Revision date: 06-May-2019

Product Stewardship Hazard Communications

Prepared by: Pfizer Global Environment, Health, and Safety Operations

Material Name: Tafamidis Capsules
Revision date: 06-May-2019
Page 15 of 15
Version: 5.0

Pfizer Inc believes that the information contained in this Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.

End of Safety Data Sheet